ELSEVIER

Hearing Research 122 (1998) 157

HEARING RESEARCH

Author Index Volume 122

Bohne, B.A., see Ornitz, D.M. (122) 60
Buckthought, A.D., see Kelly, J.B. (122) 25

Chen, G.-D.,
Effects of stimulus duration on responses of neurons in the chinchilla inferior colliculus (122) 142

Fu, X.W., see Wu, S.H. (122) 47

Goldberg, R.L., and Henson Jr., O.W.
Changes in cochlear mechanics during vocalization: evidence for a phasic medial efferent effect (122) 71
Gordon, M., and O'Neill, W.E.
Temporal processing across frequency channels by FM selective auditory neurons can account for FM rate selectivity (122) 97
Grateau, P., see Job, A. (122) 119

Harding, G.W., see Ornitz, D.M. (122) 60
Henson Jr., O.W., see Goldberg, R.L. (122) 71
Hoshino, M., see Ueda, H. (122) 41
Hubbard, A.E., see Nakajima, H.H. (122) 109

Job, A., Grateau, P. and Picard, J.
Intrinsic differences in hearing performances between ears revealed by the asymmetrical shooting posture in the army (122) 119

Kelly, J.B., Buckthought, A.D. and Kidd, S.A.
Monaural and binaural response properties of single neurons in the rat's dorsal nucleus of the lateral lemniscus (122) 25
Kidd, S.A., see Kelly, J.B. (122) 25

Luksch, H., and Walkowiak, W.
Morphology and axonal projection patterns of auditory neurons in the midbrain of the painted frog, *Discoglossus pictus* (122) 1

Mills, D.M., and Rubel, E.W.
Development of the base of the cochlea: place code shift in the gerbil (122) 82

Mountain, D.C., see Nakajima, H.H. (122) 109

Nakajima, H.H., Mountain, D.C. and Hubbard, A.E.
Nonlinear characteristics of electrically evoked otoacoustic emissions (122) 109
Nakata, S., see Ueda, H. (122) 41

O'Neill, W.E., see Gordon, M. (122) 97
Ornitz, D.M., Bohne, B.A., Thalmann, I., Harding, G.W. and Thalmann, R.
Otoconial agenesis in *tilted* mutant mice (122) 60

Picard, J., see Job, A. (122) 119
Pollak, G.D., see Yang, L. (122) 125
Puil, E., see Tennigkeit, F. (122) 18

Rubel, E.W., see Mills, D.M. (122) 82

Schwarz, D.W.F., see Tennigkeit, F. (122) 18

Tennigkeit, F., Schwarz, D.W.F. and Puil, E.
$GABA_B$ receptor activation changes membrane and filter properties of auditory thalamic neurons (122) 18
Thalmann, I., see Ornitz, D.M. (122) 60
Thalmann, R., see Ornitz, D.M. (122) 60

Ueda, H., Nakata, S. and Hoshino, M.
Effects of effusion in the middle ear and perforation of the tympanic membrane on otoacoustic emissions in guinea pigs (122) 41

Walkowiak, W., see Luksch, H. (122) 1
Wu, S.H., and Fu, X.W.
Glutamate receptors underlying excitatory synaptic transmission in the rat's lateral superior olive studied in vitro (122) 47

Yang, L., and Pollak, G.D.
Features of ipsilaterally evoked inhibition in the dorsal nucleus of the lateral lemniscus (122) 125

ELSEVIER

Hearing Research 122 (1998) 158–160

HEARING RESEARCH

Subject Index Volume 122

Acoustic signal processing
Auditory brainstem; Binaural hearing; Lateral lemniscus; Tonotopic organization; Sound frequency (Kelly, J.B. (122) 25)

γ-Aminobutyric acid B
Auditory thalamus; Baclofen; Resonance (Tennigkeit, F. (122) 18)

Anura
Brainstem auditory neuron; Intracellular; Torus semicircularis; Tegmentum; Sensorimotor integration (Luksch, H. (122) 1)

Auditory brainstem
Binaural hearing; Acoustic signal processing; Lateral lemniscus; Tonotopic organization; Sound frequency (Kelly, J.B. (122) 25)

Auditory midbrain
Temporal processing; Lateral inhibition; Mustached bat; Formant transition; Phonological impairment (Gordon, M. (122) 97)

Auditory system
Binaural interaction; Superior olivary complex; Ionotropic glutamate receptor; Metabotropic glutamate receptor; Patch clamp recording (Wu, S.H. (122) 47)

Auditory thalamus
Baclofen; γ-Aminobutyric acid B; Resonance (Tennigkeit, F. (122) 18)

Baclofen
Auditory thalamus; γ-Aminobutyric acid B; Resonance (Tennigkeit, F. (122) 18)

Békésy audiometry
Lateralization; Occupational posture; Eyedness; Noise-induced hearing loss; Cochlear physiology (Job, A. (122) 119)

Binaural hearing
Auditory brainstem; Acoustic signal processing; Lateral lemniscus; Tonotopic organization; Sound frequency (Kelly, J.B. (122) 25)

Binaural interaction
Auditory system; Superior olivary complex; Ionotropic glutamate receptor; Metabotropic glutamate receptor; Patch clamp recording (Wu, S.H. (122) 47)

Binaural processing
Inhibition; Dorsal nucleus of the lateral lemniscus; Mustache bat (Yang, L. (122) 125)

Brainstem auditory neuron
Anura; Intracellular; Torus semicircularis; Tegmentum; Sensorimotor integration (Luksch, H. (122) 1)

Chinchilla
Sound duration; Pure tone; Inferior colliculus; Single unit (Chen, G.-D. (122) 142)

Cochlea
Electrically-evoked otoacoustic emission; Outer hair cell motility; Otoacoustic emission; Electrical stimulation; Gerbil (Nakajima, H.H. (122) 109)

Development; Ontogeny; Frequency-place map; Distortion product otoacoustic emissions; Gerbil (Mills, D.M. (122) 82)

Cochlear microphonic
Damping; Resonance; Efferent; Vocalization; Mustached bat (Goldberg, R.L. (122) 71)

Cochlear physiology
Békésy audiometry; Lateralization; Occupational posture; Eyedness; Noise-induced hearing loss (Job, A. (122) 119)

Damping
Cochlear microphonic; Resonance; Efferent; Vocalization; Mustached bat (Goldberg, R.L. (122) 71)

Development
Ontogeny; Frequency-place map; Cochlear amplifier; Distortion product otoacoustic emissions; Gerbil (Mills, D.M. (122) 82)

Distortion product otoacoustic emissions
Development; Ontogeny; Frequency-place map; Cochlear amplifier; Gerbil (Mills, D.M. (122) 82)

Dorsal nucleus of the lateral lemniscus
Binaural processing; Inhibition; Mustache bat (Yang, L. (122) 125)

Efferent
Cochlear microphonic; Damping; Resonance; Vocalization; Mustached bat (Goldberg, R.L. (122) 71)

Electrical stimulation
Electrically-evoked otoacoustic emission; Outer hair cell motility; Otoacoustic emission; Cochlea; Gerbil (Nakajima, H.H. (122) 109)

Electrically-evoked otoacoustic emission
Outer hair cell motility; Otoacoustic emission; Electrical stimulation; Cochlea; Gerbil (Nakajima, H.H. (122) 109)

Eyedness
Békésy audiometry; Lateralization; Occupational posture; Noise-induced hearing loss; Cochlear physiology (Job, A. (122) 119)

Formant transition
Auditory midbrain; Temporal processing; Lateral inhibition; Mustached bat; Phonological impairment (Gordon, M. (122) 97)

Frequency-place map
Development; Ontogeny; Cochlear amplifier; Distortion product otoacoustic emissions; Gerbil (Mills, D.M. (122) 82)

Gerbil
Development; Ontogeny; Frequency-place map; Cochlear amplifier; Distortion product otoacoustic emissions (Mills, D.M. (122) 82)

Electrically-evoked otoacoustic emission; Outer hair cell motility; Otoacoustic emission; Electrical stimulation; Cochlea (Nakajima, H.H. (122) 109)

Gravity receptor
Otoconia; Vestibular histopathology; Mouse mutant (Ornitz, D.M. (122) 60)

Guinea pig
Otoacoustic emission; Tympanic membrane; Perforation; Otitis media with effusion (Ueda, H. (122) 41)

Inferior colliculus
Sound duration; Pure tone; Single unit; Chinchilla (Chen, G.-D. (122) 142)

Inhibition
Binaural processing; Dorsal nucleus of the lateral lemniscus; Mustache bat (Yang, L. (122) 125)

Intracellular
Anura; Brainstem auditory neuron; Torus semicircularis; Tegmentum; Sensorimotor integration (Luksch, H. (122) 1)

Ionotropic glutamate receptor
Auditory system; Binaural interaction; Superior olivary complex; Metabotropic glutamate receptor; Patch clamp recording (Wu, S.H. (122) 47)

Lateral inhibition
Auditory midbrain; Temporal processing; Mustached bat; Formant transition; Phonological impairment (Gordon, M. (122) 97)

Lateral lemniscus
Auditory brainstem; Binaural hearing; Acoustic signal processing; Tonotopic organization; Sound frequency (Kelly, J.B. (122) 25)

Lateralization
Békésy audiometry; Occupational posture; Eyedness; Noise-induced hearing loss; Cochlear physiology (Job, A. (122) 119)

Metabotropic glutamate receptor
Auditory system; Binaural interaction; Superior olivary complex; Ionotropic glutamate receptor; Patch clamp recording (Wu, S.H. (122) 47)

Mouse mutant
Otoconia; Vestibular histopathology; Gravity receptor (Ornitz, D.M. (122) 60)

Mustache bat
Binaural processing; Inhibition; Dorsal nucleus of the lateral lemniscus (Yang, L. (122) 125)

Mustached bat
Cochlear microphonic; Damping; Resonance; Efferent; Vocalization (Goldberg, R.L. (122) 71)

Auditory midbrain; Temporal processing; Lateral inhibition; Formant transition; Phonological impairment (Gordon, M. (122) 97)

Noise-induced hearing loss
Békésy audiometry; Lateralization; Occupational posture; Eyedness; Cochlear physiology (Job, A. (122) 119)

Occupational posture
Békésy audiometry; Lateralization; Eyedness; Noise-induced hearing loss; Cochlear physiology (Job, A. (122) 119)

Ontogeny
Development; Frequency-place map; Cochlear amplifier; Distortion product otoacoustic emissions; Gerbil (Mills, D.M. (122) 82)

Otitis media with effusion
Otoacoustic emission; Tympanic membrane; Perforation; Guinea pig (Ueda, H. (122) 41)

Otoacoustic emission
Tympanic membrane; Perforation; Otitis media with effusion; Guinea pig (Ueda, H. (122) 41)

Electrically-evoked otoacoustic emission; Outer hair cell motility; Electrical stimulation; Cochlea; Gerbil (Nakajima, H.H. (122) 109)

Otoconia
Vestibular histopathology; Mouse mutant; Gravity receptor (Ornitz, D.M. (122) 60)

Outer hair cell motility
Electrically-evoked otoacoustic emission; Otoacoustic emission; Electrical stimulation; Cochlea; Gerbil (Nakajima, H.H. (122) 109)

Patch clamp recording
Auditory system; Binaural interaction; Superior olivary complex; Ionotropic glutamate receptor; Metabotropic glutamate receptor (Wu, S.H. (122) 47)

Perforation
Otoacoustic emission; Tympanic membrane; Otitis media with effusion; Guinea pig (Ueda, H. (122) 41)

Phonological impairment
Auditory midbrain; Temporal processing; Lateral inhibition; Mustached bat; Formant transition (Gordon, M. (122) 97)

Pure tone
Sound duration; Inferior colliculus; Single unit; Chinchilla (Chen, G.-D. (122) 142)

Resonance
Cochlear microphonic; Damping; Efferent; Vocalization; Mustached bat (Goldberg, R.L. (122) 71)

Auditory thalamus; Baclofen; γ-Aminobutyric acid B (Tennigkeit, F. (122) 18)

Sensorimotor integration
Anura; Brainstem auditory neuron; Intracellular; Torus semicircularis; Tegmentum (Luksch, H. (122) 1)

Single unit
Sound duration; Pure tone; Inferior colliculus; Chinchilla (Chen, G.-D. (122) 142)

Sound duration
Pure tone; Inferior colliculus; Single unit; Chinchilla (Chen, G.-D. (122) 142)

Sound frequency
Auditory brainstem; Binaural hearing; Acoustic signal processing; Lateral lemniscus; Tonotopic organization (Kelly, J.B. (122) 25)

Superior olivary complex
Auditory system; Binaural interaction; Ionotropic glutamate receptor; Metabotropic glutamate receptor; Patch clamp recording (Wu, S.H. (122) 47)

Tegmentum
Anura; Brainstem auditory neuron; Intracellular; Torus semicircularis; Sensorimotor integration (Luksch, H. (122) 1)

Temporal processing
Auditory midbrain; Lateral inhibition; Mustached bat; Formant transition; Phonological impairment (Gordon, M. (122) 97)

Tonotopic organization
Auditory brainstem; Binaural hearing; Acoustic signal processing; Lateral lemniscus; Sound frequency (Kelly, J.B. (122) 25)

Torus semicircularis
Anura; Brainstem auditory neuron; Intracellular; Tegmentum; Sensorimotor integration (Luksch, H. (122) 1)

Tympanic membrane
Otoacoustic emission; Perforation; Otitis media with effusion; Guinea pig (Ueda, H. (122) 41)

Vestibular histopathology
Otoconia; Mouse mutant; Gravity receptor (Ornitz, D.M. (122) 60)

Vocalization
Cochlear microphonic; Damping; Resonance; Efferent; Mustached bat (Goldberg, R.L. (122) 71)